IN THE CLAIMS:

Please amend the claims as follows.

1. (Original) A method for automated management of hydrocarbon gathering, the method comprising:

collecting data from a plurality of automated measurement and control devices positioned in a hydrocarbon gathering system;

comparing the collected data with data stored in a database; and using the data comparison to automatically schedule a test of at least one of the plurality of automated measurement and control devices.

- 2. (Original) The method of claim 1, wherein the data stored in the database is automatically updated with the collected data.
- 3. (Original) The method of claim 1, wherein the stored data comprises contractual provisions contained in contracts between a hydrocarbon gathering company and another entity.
- 4. (Original) The method of claim 3, wherein the contractual provisions comprise a testing frequency for the automated measurement and control devices.
- 5. (Original) The method of claim 1, wherein the management data comprises test scheduling data defined by a hydrocarbon gathering company.
- 6. (Original) The method of claim 1, wherein the plurality of measurement and control devices comprises electronic flow meters.
- 7. (Original) The method of claim 1, wherein the plurality of automated measurement and control devices comprises programmable logic controllers.
- 8. (Original) The method of claim 1, wherein the plurality of automated measurement

and control devices comprises remote terminal unit.

- 9. (Original) The method of claim 1, wherein the plurality of automated measurement and control devices comprises automated gas composition analysis devices.
- 10. (Original) The method of claim 1, wherein using the data comparison further comprises:

notifying a field technician of a required test for at least one of the plurality of automated measurement and control devices; and

automatically notifying a witness of the test after the field technician has selected a test date.

11. (Currently Amended) A method for automated management of hydrocarbon gathering, the method comprising The method of claim 1, wherein using the data comparison further comprises:

collecting data from a plurality of automated measurement and control devices positioned in a hydrocarbon gathering system;

comparing the collected data with data stored in a database;

using the data comparison to automatically schedule a test of at least one of the plurality of automated measurement and control devices;

analyzing the collected data to determine a volume of a flow of hydrocarbons through at least one of the plurality of automated measurement and control devices;

comparing the volume of the hydrocarbon flow to contractual provisions stored in the database; and

automatically scheduling meter tests according to the stored contractual provisions.

12. (Currently Amended) The method of claim [[1]]11, further comprising:

automatically updating the database after testing of at least one of the plurality of automated measurement and control devices.

- 13. (Original) The method of claim 11, wherein selected field personnel are automatically notified of the automatically scheduled tests.
- 14. (Original) The method of claim 13, wherein the automatic notification is transmitted electronically.
- 15. (Original) The method of claim 11, wherein a witness is automatically notified of the automatically scheduled tests.
- 16. (Original) The method of claim 15, wherein the automatic notification is transmitted electronically.
- 17. (Currently Amended) The method of claim [[1]]11, further comprising: testing at least one of the plurality of automated measurement and control devices; automatically comparing test data with master testing data stored in the database; and generating an alarm if a variance between the new testing data and the master testing data exceeds a selected threshold.
- 18. (Currently Amended) The method of claim [[1]]11, further comprising: automatically measuring electrical current flow in at least one cathodic protection system positioned in the hydrocarbon gathering system; and generating an alarm if the automatically measured electrical current flow exceeds a selected threshold.
- 19. (Currently Amended) The method of claim [[1]]11, wherein a computer system connected to the database automatically generates an alarm when a selected event is detected.

- 20. (Original) The method of claim 19, wherein the selected event comprises detection of non-conforming test data collected from at least one of the plurality of automated measurement and control devices.
- 21. (Original) The method of claim 19, wherein the selected event comprises detection of a failure of at least one of the plurality of automated measurement and control devices.
- 22. (Original) The method of claim 19, wherein the selected event comprises detection of a system imbalance beyond a selected threshold.
- 23. (Original) The method of claim 19, wherein the selected event comprises detection of a change in natural gas composition beyond a selected threshold.
- 24. (Original) A method for automated management of hydrocarbon gathering, the method comprising:

collecting well test data from at least one of a plurality of producing wells in a hydrocarbon gathering system;

using the well test data to automatically reallocate hydrocarbon production to at least one of the plurality of producing wells.

- 25. (Original) The method of claim 24, wherein the well test data is used to automatically reallocate production costs to at least one of the plurality of producing wells.
- 26. (Original) The method of claim 24, wherein the well test data is used to automatically populate regulatory forms.
- 27. (Original) The method of claim 24, wherein the well test data is automatically reported to selected users.
- 28. (Original) A method for automated management of hydrocarbon gathering, the

method comprising:

calculating a system balance for a selected balance envelope;

collecting hydrocarbon sample test data from at least one of a plurality of automated measurement and control devices positioned in a hydrocarbon gathering system; and using the hydrocarbon sample test data to automatically recalculate the system balance.

- 29. (Original) The method of claim 28, further comprising:
- using the recalculated system balance to mix hydrocarbon products from at least two gathering pipelines to produce a desired hydrocarbon flow composition.
- 30. (Original) The method of claim 29, wherein the desired hydrocarbon flow composition is selected to minimize hydrocarbon processing costs.
- 31. (Original) The method of claim 28, wherein the plurality of measurement and control devices comprises electronic flow meters.
- 32. (Original) The method of claim 28, wherein the plurality of automated measurement and control devices comprises programmable logic controllers.
- 33. (Original) The method of claim 28, wherein the plurality of automated measurement and control devices comprises remote terminal units.
- 34. (Original) The method of claim 28, wherein the plurality of automated measurement and control devices comprises automated gas composition analysis devices.
- 35. (Original) The method of claim 28, wherein a database is automatically updated after recalculation of the system balance.
- 36. (Original) The method of claim 28, wherein the system balance comprises a volume balance.
- 37. (Original) The method of claim 28, wherein the system balance comprises an energy

balance.

- 38. (Original) The method of claim 28, wherein the system balance comprises a natural gas component balance.
- 39. (Original) The method of claim 28, wherein the balance envelope comprises a combination of user defined selected ones of the plurality of automated measurement and control devices.
- 40. (Original) A method for automated management of hydrocarbon gathering, the method comprising:

calculating a system balance for a selected balance envelope;

testing at least one of a plurality of automated measurement and control devices positioned in a hydrocarbon gathering system; and

using the test data to automatically recalculate the system balance.

- 41. (Original) The method of claim 40, wherein the plurality of measurement and control devices comprises electronic flow meters.
- 42. (Original) The method of claim 40, wherein the plurality of automated measurement and control devices comprises programmable logic controllers.
- 43. (Original) The method of claim 40, wherein the plurality of automated measurement and control devices comprises remote terminal units.
- 44. (Original) The method of claim 40, wherein the plurality of automated measurement and control devices comprises automated gas composition analysis devices.
- 45. (Original) A method for automated management of hydrocarbon gathering, the method comprising:

calculating a composition of hydrocarbon flow in a hydrocarbon gathering system;

collecting hydrocarbon sample test data from a plurality of automated measurement and control devices positioned in the hydrocarbon gathering system; and using the hydrocarbon sample test data to automatically recalculate the composition of hydrocarbon flow in the hydrocarbon gathering system.

- 46. (Original) The method of claim 45, wherein the plurality of measurement and control devices comprises electronic flow meters.
- 47. (Original) The method of claim 45, wherein the plurality of automated measurement and control devices comprises programmable logic controllers.
- 48. (Original) The method of claim 45, wherein the plurality of automated measurement and control devices comprises remote terminal units.
- 49. (Original) The method of claim 45, wherein the plurality of automated measurement and control devices comprises automated gas composition analysis devices.
- 50. (Original) The method of claim 45, further comprising: automatically updating a database after recalculation of the hydrocarbon flow composition.
- 51. (Original) The method of claim 1, wherein the collected data and data stored in the database are used to model pipeline hydraulics.
- 52. (Original) The method of claim 1, further comprising:
 using the collected data and data stored in the database to automatically generate a report
 for a selected unit of a hydrocarbon gathering system.
- 53. (Original) The method of claim 1, wherein the collected data and data stored in the database are used to evaluate reservoir production.